

GENEREX PTY LTD

MATERIAL SAFETY DATA SHEET

I IDENTIFICATION

Product Name: Generex 2,4-D Amine 500 Low Odour Herbicide
Chemical Class: Phenoxy herbicide.
Hazchem Code: N/A
UN No.: N/A.
Dangerous Goods Class: N/A
Sub Risk Class: No Subsidiary Risk
Packaging Group: III
EPG: N/A
Poison Schedule: S5
Use : A special LOW ODOUR formulation for broadleaf weed control on fallow or stubble prior to sowing cereal crops and pastures(including the spray graze technique).Also for selective control in cereals , pastures, sugarcane,peanuts,maize,millet ,sorghum , sweetcorn , lawns , and non-agricultural areas.

Physical appearance & Properties:

Appearance & Odour: Clear brown liquid. Mild Amine odour.

Melting/softening point: Less than 0°C

Boiling point: About 100°C

Vapour pressure: 16mmhg Water Component

Volatile materials: Water component.

Flashpoint: Does not burn.

Specific gravity: Approximately 1.238

Solubility in water: Completely soluble.

Corrosiveness: Not corrosive.

Ingredients:

Component	CAS No	%
2,4-D as the Diethanolamine salt	5742-19-8	50 (w/v)
Inert components and water		to 100

II HEALTH HAZARD DATA

Health Effects:

Hazardous according to criteria of Worksafe Australia.

Risk Phrases :

R20/21/22 harmful by inhalation, in contact with skin and if swallowed.

Safety Phrases :

S2 – Keep out of reach of children

S13 – Keep away from food, drink and animal feed.

Acute Effects:

Swallowed: Data suggests that the product should be considered to be moderately toxic by ingestion.

Eye: Data suggests that the product should be classified as moderately irritating to the eyes.

Skin: Data suggests that the product should be classified as moderately irritating to the skin. This product may be absorbed through the skin. This is a significant exposure route.

Inhalation: Data suggests that the product should be classified as moderately irritating by inhalation. May cause coughing and chest discomfort..

Primary route of exposure is inhalation and skin and eye contact.

2,4-D LD50 Oral (Rat) = 690mg/Kg.

LD50 (dermal, rabbit) >2,000mg/kg

LC50 (inhalation, rat) >1.79 mg/l

Not toxic to Bees.

First Aid:

If poisoning occurs, contact a doctor or Poisons Information Centre.

Swallowed: If swallowed, and if more than 15 minutes from a hospital induce vomiting, preferably using Ipecac Syrup APF.

Eye: If this product comes into contact with eyes, hold eyes open and wash with running water for at least 15 minutes. Ensure irrigation under eyelids by occasionally lifting eyelids. Do not attempt to remove contact lenses unless trained. Transport to hospital or doctor immediately if eye irritation develops.

Skin: If this product comes into contact with skin, wash skin for at least 15 minutes with soap and water. Remove contaminated clothing and footwear. Ensure contaminated clothing is thoroughly washed before using again. Transport to hospital or doctor if skin irritation develops.

Inhalation: If mists or combustion products are inhaled, remove to fresh air. Lay victim down and keep warm and rested. If breathing is shallow, or has stopped ensure clear airway and apply resuscitation or oxygen if available. Transport to hospital or doctor immediately.

Eye wash stations or baths should be available where product is being used.

Advice to doctor: Treat symptomatically. Note the nature of this product.

III PRECAUTIONS FOR USE

Exposure Standards:

A TWA value of 10 and a STEL value of “not set” has been established for a significant ingredient of this product. Values expressed as mg/m³. Exposure values at the STEL (Short Term Exposure Limit) is an exposure value that should not be exceeded for more than 15 minutes and should not be repeated for more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. Exposure values at the TWA (Time Weighted Average) means the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week.

See ingredients section on page 1 of this data sheet.

Engineering Controls:

In industrial situations, concentration values below the TWA value should be maintained. Values may be reduced by process modification, use of local exhaust ventilation, capturing substances at the source or other methods. If you believe airborne concentrations of mist, dusts or vapours are high, you are advised to modify the process or environment to reduce the problem.

Personal protection:

When preparing spray, wear PVC or rubber apron, elbow length PVC gloves and face shield. When using the prepared spray, wear face shield. If product gets on skin, immediately wash area with soap and water.

Respiratory Protection: A face mask or respirator should be used when this material is being used. For help in selecting suitable equipment consult AS 1715.

Flammability Limits: Upper: Not flammable, Lower: Not flammable.

After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shields and contaminated clothing.

IV SAFE HANDLING INFORMATION

Storage & Transport:

No special requirements storage and transport requirements. This material has no UN classification. This material is classed as a S5 Poison. Observe appropriate state regulations for storage, transport and sale. Containers should be kept closed in order to minimise contamination. Keep from extreme heat and open flames, and make sure the material does not come into contact with water or acids.

Spills and disposals:

In event of a major spill, prevent spillage from entering drains or water courses. Wear full protective clothing including face mask, face shield and gauntlets. Stop leak if safe to do so, and contain spill. Absorb onto vermiculite or other absorbent material. Sweep up and shovel and collect recoverable product into labelled containers for recycling or salvage. After spills, wash area, preventing run off from entering drains. If material enters drains, advise emergency services. This material may be suitable for approved landfill. Dispose of only in compliance with local, state and federal regulations. Launder all contaminated clothing before re-use.

Fire/Explosion Hazard:

There is no explosion hazard from this material under normal circumstances.

Flashpoint: Does not burn.

Extinguishing Media: Use media suited to burning material.

Special Fire fighting Procedures: Wear full protective clothing including face mask, face shield and gauntlets.

Unusual fire and Explosion hazards: Decomposition products are toxic and corrosive. There is little or no chance of an explosion from this product if involved in a fire.

Stability: Stable.

Polymerisation: Will not polymerise.

Decomposition Products: Carbon dioxide, carbon monoxide, nitrogen oxides, hydrogen chloride gas, chlorides, water.

Materials to avoid: Strong acids, strong alkalis, strong oxidising agents.

V OTHER INFORMATION

IN CASE OF EMERGENCY: DIAL 000

IF INEFFECTIVE: PHONE POISONS INFORMATION
CENTRE

SPECIALIST COMPANY ADVICE:-

Generex Pty Ltd

P.O. Box 165

Milsons Point NSW 2061

Phone:- (02) 9955 7799

Fax:- (02) 9955 6599