

**CAUTION**  
**KEEP OUT OF REACH OF CHILDREN**  
**READ SAFETY DIRECTIONS BEFORE OPENING OR USING**

# **GENEREX ACIDIFER SURFACTANT**

**ACTIVE CONSTITUENTS:**      **350 g/L SOYAL PHOSPHOLIPIDS**  
   **353 g/L PROPIONIC ACID**  
   **264 g/L LIQUID HYDROCARBONS**

**An acidifying and penetrating surfactant which can also reduce chemical hydrolysis**

**Contents: 5L, 20L**

**GENEREX AUSTRALIA PTY LTD**  
**ACN 063 490 120**  
**Level 12, 1 Macquarie Place**  
**Sydney NSW 2000**  
**Tel: 02 99557799**

## **DIRECTIONS FOR USE:**

This product can be used where the addition of a surfactant or self-emulsifying oil is required or recommended on an agricultural chemical label.

## **APPLICATION RATE:**

Under normal conditions where an improvement in herbicide penetration is required use this product at the rate of 0.1%, that is 100mL/100L spray solution.

In unfavourable conditions such as very cold weather, dry dusty conditions or if the plants to be sprayed has hairy or waxy leaf increase the rate to 0.5%, that is 500mL/100 spray solution. The higher rate should also be used when applying to dense tall vegetation.

If the product is to be used for a reduction in pH of the spray water use a rate to give an 0.1% dilution of the final water volume in the spray tank.

<b>SPRAY TANK</b>	<b>RATE OF GENEREX ACIDIFIER SURFACTANT REQUIRED</b>		
Water Volume dilution	0.1%	0.25%	0.5%
100L	100mL	250mL	500mL
200L	200mL	500mL	1L
300L	300mL	750mL	1.5L
500L	500mL	1.25L	2.5L
1000L	1 litre	2.5L	5L

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

## **GENERAL INSTRUCTIONS**

**NOTE: THIS PRODUCT IS NOT SUITABLE FOR MIXING WITH SULFONYLUREA HERBICIDES**

This product can be used to increase the penetration of herbicides, neutralise or slightly acidify alkaline spray solutions and extend the life of many products that are hydrolysis sensitive.

## **MIXING INSTRUCTIONS:**

Half fill the spray tank with water and commence agitation. Add the required amount of Acidifier Surfactant then add the recommended agricultural product. Continue agitation while topping up to the correct volume and during spraying.

## **PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT**

Dangerous to fish. Do not contaminate streams, rivers or waterways with the chemical or used container.

## **STORAGE AND DISPOSAL**

Store in the closed original container in a dry well ventilated area. Do not store for prolonged periods in direct sunlight.

Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point.

If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

## **SAFETY DIRECTIONS**

Avoid contact with eyes and skin. Wash hands after use.

## **FIRST AID**

**If poisoning occurs, contact a Doctor or Poisons Information Centre (TEL 131126)**

If swallowed, and if more than 15 minutes from a hospital, induce vomiting, preferably using Ipecac syrup APF.

If in eyes, hold eyes open, flood with water for at least 15 minutes and see a Doctor.

## **Material Safety Data Sheet**

For further information refer to Material Safety Data Sheet which can be obtained from the supplier.

## **TERMS OF SALE:**

Generex Australia Pty Ltd (“Generex”) will not be held liable for any loss, injury or damage, indirect or consequential, arising from the sale, supply, use or application of this product. The product is not to be used for any purpose or in any way contrary to label instructions.

**NRA Approval No.: 52884/0700**

**Date of Manufacture:**

**Batch No:**